

Proud Participant in NTPEP and Proud Member of:



MATERIAL SPECIFICATIONS WOODEN STAKES

<u>Materials:</u>

Oak Hard Wood

Dimensions:

48 in (121.9 cm) long by 1.125 in (2.86 cm) by 1.125 in (2.86 cm) 30 in (76.2 cm) long by 1.125 in (2.86 cm) by 1.125 in (2.86 cm)

Description:

American Excelsior Company provides sturdy oak wood stakes that are ideal to anchor Curlex[®] Sediment Log[®] and other common erosion and sediment control products. Stakes come with a pointed end that eases installation across various soil types. Both lengths are available in bundles of 25. The 30 in stakes are available palletized in a quantity of 1,600 and the 48 in stakes are available palletized in a quantity of 1,200. Oak wood stakes shall be manufactured in the U.S.A.

Physical Properties:

Material:	Oak Hard Wood
Stake Length:	30 in (76.2 cm)
	48 in (121.9 cm)
Diameter:	1.125 in (2.86 cm) x 1.125 in (2.86 cm) square





Proud Participant in NTPEP and Proud Member of:



MANUFACTURER'S CERTIFICATION WOODEN STAKES - Anchoring Devices

Provider:

American Excelsior Company 831 Pioneer Avenue Rice Lake, WI 54868 1-866-9FIBERS (1-866-934-2377)

Project Information (if applicable):

Name:

Location:

Number:

Statement

We hereby certify that the above referenced material is manufactured to meet or exceed the following specification:

Material:	Oak Hard Wood
Stake Length:	30 in (76.2 cm)
	48 in (121.9 cm)
Diameter:	1.125 in (2.86 cm) x 1.125 in (2.86 cm) square

T- 4. Tony Johnson – General Manager, Rice Lake

Effective Date

Note: This Certification expires, without notice, if document is updated by American Excelsior Company (AEC). Current Material Specifications and Manufacture's Certifications (MSMC) for AEC products shall be accessed from <u>www.Curlex.com</u> at all times.



850 Avenue H E | Arlington, Texas 76011 Phone 1-800-777-SOIL | Fax 817-385-3585 | <u>www.Curlex.com</u>